
## Proposal for LED Display Systems P-10 mm, RGB Display



### P10mm Fix Installation Cabinet



### Iron cabinet Back view



### cabinet front view

### P16mm Portable cabinets solution



### 5.Technical Specifications Led Display System, pitch 10mm Indoor

Serial Number	Specification	PH10 outdoor real
1	Pitch	10 mm real pixel RGB
2	Module Resolution	$16 \times 16 = (dot)$
3	Module Size	160mm*160mm (16x16 dots)
4	Module Quantity/cabinet	16
5	Cabinet Size	640x640mm
6	Resolution/cabinet	64×64(dot)
7	Density	$10000 dots/m^2$
9	LED Standard	RGB real pixel
10	Viewing Angle (H/V)	H: ±150°V:±120°
11	Brightness	≥6000CD/s.q.m
12	The Optimal viewing distance	8—100m
13	Display Colors	687(million)
14	Pixel configuration	1R1G1B
15	Protection Degree	(IP65)
16	Power	(Max.Consumption):500 W/s.q.m
		(Average Power): 300 W/s.q.m
17	Control mode	Video Sync
18	Display Mode	640×480/800×600/1024×768
19	LED Parametres	(R):\lambda (619~624nm)IV: (200~260mcd) (G):\lambda (520~524.5nm)IV: (524~685mcd) (B):\lambda (468.5~472.5nm)IV:(176~215mcd)
20	Rate	≥180Hz
21	Communication	1000M Cats(≤120M)/Fiber optical (10.000m)

### Other Perameters

Contents	Detail
Viewing angle	Horizontal:110 degree;Vertical:75degree
Color display	10.7billion
Driving Method	1/4 Static,Constant current
Driving Method	1/4 Static,Constant current
Refresh frequence	480HZ
luput signal	RF,S-VIDEO,rgb,RGBTV,YUT ,YC,COMPOSITION
Working environment	Temperature-20 C~ +60 C; Humidity:10%~95%
Input Voltage	AC110V/60HZ;AC220V/50HZ optional

### **Technical Support**

- LED screen is made of led bricks which are available all the time at all the locations, any problem in bricks will be replaced immediate.
- Zone wise we are based in Delhi, Mumbai, Banglore, Kolkata, Ahmedabad, Indore, Chandigarh and Ranchi
- We ensure the after sale services with in 24-48 hours in case of none city and 24 hours in same city.
- LED screen can be design in any size any dimension as per the clientele requirement we provides the 2 time led design adjustment after installation for free.

### Key Features and Advantages

- 1. As 2R-1G-1B LED, more colorful than ordinary LED displays enabling them to show high frequency dynamic images.
- 2. The brightness is higher because of advantage from its built-in reflection cavity.
- 3. Viewing angle is available up to 160 degrees; the showing contents won't be disordered.
- 4. Integrated and modularized design, reasonable layout, is the best advantage for heat dissipation.
- 5. Our LED screen is controlled by instant current and high gray degree technology, so it is long lifespan, rich color and uniform light.
- 6. It's high guaranteed for good quality produced by high speed auto mount machine.
- 7. Simple and light frame is easy for installation

note- p 16 mm Led Display picture of the rental services to various clients are . attached in our project Details, please have a glance

### **Control Units**

- 1. Controllers are compatible for any of the input like VGA, DVI, All video supportable and live performance as well with coordination with video production team.
- **2.** Our Switcher can accept the input (any Source ) for data and video Display on Screens.
- 3. The cabling and Control Panel set up will be based on onsite location analysis.
- 4. We provide controller in 3 user applications
  - 1. Sending card
  - 2. Asynchronies <u>USB</u> control card
  - 3. Video processor

# Why Us

# Our Projects Our Clients

### **Our Recent Projects**

Led screen on rent in Commonwealth games Practice, Asian long Tanis, R k Khanna stadium may, 2010



Led screen on rent in a farm House, Corp meeting, Delhi and

for Event At Great India Palace, Noida, for Rangmanch



LED Display System size 10x13 feet ,and 10x15.5 feet direct sunshine picture pixel 16 mm



# Our Recent Projects outdoor















### **Our Recent Projects exhibitions**

#### ShinoBiz Lighting & Display Mail Us- info@shinobiz.com shinobiz@live.Com

Mail Us- info@shinobiz.com shinobiz@live.Com Website- www.shinobiz.com Contact Us:- +919810653503, 09990283289

TOT

DOM: N

LED Display System size 10x13 feet , direct sunshine picture pixel 16 mm LED Display System picture pixel 7.62 mm



# Our Recent Projects indoor



### Some Of Our Prestigious Clients



Note- the above clientele and Pics given for the reference are based on our LED Display screen rental performance basis For your reference we can provide you our more clientele with their Details as well.

# Thank you

*We Wish you a Shining growth* 

Thanks & Regards

### ShinoBiz Lighting And Display HelpLine +91 9990283289 & 9810653503 Skype id- shinobizskype Whats App id- +91 9990283289 Land Line (office) - 011-26364139 Mail - info@shinobiz, shinobiz@outlook.com Website :- swww.shinobiz.com

Mail Us- info@shinobiz.com, shinobiz@live.Com Web- www.shinobiz.com Contact Us-, 09810653503, 09990283289